



ORTHOPEDIC IMPLANTS

www.zelmisurgical.com

Set contains:

Product Code	Description	Quantity
150-0862-00	Instrument Tray with lid	1
164-0070-20	Drill Guide 1,1/1,5 for 2.0mm screws	1
164-0071-15	Drill Guide 2,0/2,7 for 2.0mm screws	1
164-1520-20	TTA Depth Gauge, 150mm, 40mm, for 1,5/2,0 screws	1
164-0050-09	Plate Holding Forceps, 9 cm, curved	1
148-0080-11	Twist Drill Bone round shaft, Ø 1.1 mm, 45/30 mm	1
148-0080-15	Twist Drill Bone round shaft, Ø 1.5 mm, 70/30mm	1
128-0807-00	Mini Handle for QC, dental shaft	1
128-0905-17	Holding Sleeve for 2,0 mm screws	1
128-0905-15	Screw Driver Shaft 1,5/2/0, hexagonal	1
128-0880-15	Bending Iron, AO Typ, 1,5/2.0, 130 mm, pair	5
130-11-0015	Bone Plate, cuttable, 20 Holes, lenght 100mm, straight	5
130-11-2020	Bone Plate LC/DCP, cuttable, 20 hole, lenght 119mm, straight	5
130-11-1420	Bone Plate Adaption, cuttable, 20 holes, lenght 100mm, straight	5
130-11-1030	Bone Plate, mini, DCP, cuttable, 20 holes, lenght 110mm, straight	5
130-1863-09	T- Bone Plate 1,5mm, 3 holes head, 9 holes shaft	5
130-1864-09	T- Bone Plate 1,5mm, 4 holes head, 9 holes shaft	5
130-11-0339	T-Bone Plate, cuttable, shaft 9 holes, head 3 holes, lenght 50mm	5
130-11-0349	T Bone Plate, cuttable, shaft 9 holes, head 4 holes, lenght 50mm	5
140-0620-24	T-Bone Plate for 2.0/1.5 mm screws, 2x4 holes, length 34.5 mm	5
140-0620-25	T-Plate Plate for 2.0/1.5 mm screws, 2x5 holes, length 41.5 mm	5
140-0620-26	T-Plate Plate for 2.0/1.5 mm screws, 2x6 holes, length 48.5 mm	5
140-0620-27	T-Plate Plate for 2.0/1.5 mm screws, 2x7 holes, length 55.5 mm	5
140-0620-28	T-Plate Plate for 2.0/1.5 mm screws, 2x8 holes, length 62.5 mm	5
245-115-06	Bone Screw Cortex, 1.5, 6 mm length, self-tapping, hex. stainless steel	5
245-115-07	Bone Screw Cortex, 1.5, 7 mm length, self-tapping, hex. stainless steel	5
245-115-08	Bone Screw Cortex, 1.5, 8 mm length, self-tapping, hex. stainless steel	5
245-115-09	Bone Screw Cortex, 1.5, 9 mm length, self-tapping, hex. stainless steel	5
245-115-10	Bone Screw Cortex, 1.5, 10 mm length, self-tapping, hex. stainless steel	5
245-115-11	Bone Screw Cortex, 1.5, 11 mm length, self-tapping, hex. stainless steel	5
245-115-12	Bone Screw Cortex, 1.5, 12 mm length, self-tapping, hex. stainless steel	5
245-115-14	Bone Screw Cortex, 1.5, 14 mm length, self-tapping, hex. stainless steel	5
245-115-16	Bone Screw Cortex, 1.5, 16 mm length, self-tapping, hex. stainless steel	5
245-115-18	Bone Screw Cortex, 1.5, 18 mm length, self-tapping, hex. stainless steel	5
245-115-20	Bone Screw Cortex, 1.5, 20 mm length, self-tapping, hex. stainless steel	5
245-120-06	Bone Screw Cortex, 2.0, 6 mm length, self-tapping, hex. stainless steel	5
245-120-08	Bone Screw Cortex, 2.0, 8 mm length, self-tapping, hex. stainless steel	5
245-120-10	Bone Screw Cortex, 2.0, 10 mm length, self-tapping, hex. stainless steel	5
245-120-12	Bone Screw Cortex, 2.0, 12 mm length, self-tapping, hex. stainless steel	5
245-120-14	Bone Screw Cortex, 2.0, 14 mm length, self-tapping, hex. stainless steel	5
245-120-16	Bone Screw Cortex, 2.0, 16 mm length, self-tapping, hex. stainless steel	5
245-120-18	Bone Screw Cortex, 2.0, 18 mm length, self-tapping, hex. stainless steel	5
245-120-20	Bone Screw Cortex, 2.0, 20 mm length, self-tapping, hex. stainless steel	5
245-120-22	Bone Screw Cortex, 2.0, 22 mm length, self-tapping, hex. stainless steel	5
245-120-24	Bone Screw Cortex, 2.0, 24 mm length, self-tapping, hex. stainless steel	5
245-120-26	Bone Screw Cortex, 2.0, 26 mm length, self-tapping, hex. stainless steel	5
245-120-28	Bone Screw Cortex, 2.0, 28 mm length, self-tapping, hex. stainless steel	5

Instruments 1.5 / 2.0

Drill Guide
1.1/1.5 mm
164-0070-20



Drill Guide
Neutral / Load
1.5/2.0 mm
164-0071-15



Depth Gauge
2.0 mm
164-1520-20



Drill

Product Code	Ø mm	length mm	Type
148-0081-11	1,1	45/30	AO
148-0081-15	1,5	70/30	AO
148-0080-11	1,1	45/30	round
148-0080-15	1,5	70/30	round



Plate Holding Forceps

9 cm, curved

164-0050-09



Bending Iron

pair (standard model)

128-0880-15



pair (broad model)

128-0881-15



Screwdriver AO-Handle

„Petite“ 2.0 mm size, AO QC

128-0807-00



Holding sleeve

„Petite“ 2.0 mm

128-0905-17



Screw Driver Shaft

„Petite“ 2.0 mm

128-0905-15




Osteosynthesis Set {2.7/3.5}

Osteosynthesis Plate Set 2.7/3.5 mm

Stainless Steel

111-5127-35




contains:

150-0860-00	Implant Tray for 2,7/3,5 mm stainless steel implants
140-13-2004	Bone Plate, LCDC, 2,7mm, 4 holes
140-13-2005	Bone Plate, LCDC, 2,7mm, 5 holes
140-13-2006	Bone Plate, LCDC, 2,7mm, 6 holes
140-13-2007	Bone Plate, LCDC, 2,7mm, 7 holes,
140-13-2008	Bone Plate, LCDC, 2,7mm, 8 holes,
140-13-2009	Bone Plate, LCDC, 2,7mm, 9 holes,
140-13-2010	Bone Plate, LCDC, 2,7mm, 10 holes,
140-13-2011	Bone Plate, LCDC, 2,7mm, 11 holes,
140-13-2012	Bone Plate, LCDC, 2,7mm, 12 holes,
140-13-2013	Bone Plate, LCDC, 2,7mm, 13 holes,
140-13-2014	Bone Plate, LCDC, 2,7mm, 14 holes,
140-20-2004	Bone Plate Comp., LCDC, 3,5 mm, 4 holes
140-20-2005	Bone Plate Comp., LCDC, 3,5 mm, 5 holes
140-20-2006	Bone Plate Comp., LCDC, 3,5 mm, 6 holes
140-20-2007	Bone Plate Comp., LCDC, 3,5 mm, 7 holes
140-20-2008	Bone Plate Comp., LCDC, 3,5 mm, 8 holes
140-20-2009	Bone Plate Comp., LCDC, 3,5 mm, 9 holes
140-20-2010	Bone Plate Comp., LCDC, 3,5 mm, 10 holes
140-20-2011	Bone Plate Comp., LCDC, 3,5 mm, 11 holes
140-20-2012	Bone Plate Comp., LCDC, 3,5 mm, 12 holes

Osteosynthesis Instrument Set

111-6127-35



contains:

150-0861-00	Osteosynthesis Instrument Tray
128-0880-27	Bending Iron, AO Type, 2,7/3,5/4,5, 140 mm, right
128-0881-27	Bending Iron, AO Type, 2,7/3,5/4,5, 140 mm, left
164-2735-40	Depth Gauge for 2.7 and 3.5mm screws
128-0911-25	Screw Driver 2.5 mm
128-0940-25	Holding Sleeve for 2,7/3,5mm screws
148-0081-20	Twist Drill Bone AO shaft, Ø 2.0mm, 100/75mm
148-0081-25	Twist Drill Bone AO shaft, Ø 2.5 mm, 110/85 mm
128-2535-35	Compressional Drill Guide, neutral/load, 3,5mm, for screws Ø 3,5 and drills Ø 2,5mm
128-2720-27	Compressional Drill Guide, neutral/load, 2,7mm, for screws Ø 2,7 and drills Ø 2,0mm
164-0051-17	Plate Holding Forceps, 17 cm

Screw Rack 2.7 mm

with screws

150-0527-00



contains:

150-0527-00	Screw Rack for 2.7mm screws (empty)
245-127-06	Bone Screw Cortex, 2.7, 6 mm length
245-127-08	Bone Screw Cortex, 2.7, 8 mm length
245-127-10	Bone Screw Cortex, 2.7, 10 mm length
245-127-12	Bone Screw Cortex, 2.7, 12 mm length
245-127-14	Bone Screw Cortex, 2.7, 14 mm length
245-127-16	Bone Screw Cortex, 2.7, 16 mm length
245-127-18	Bone Screw Cortex, 2.7, 18 mm length
245-127-20	Bone Screw Cortex, 2.7, 20 mm length
245-127-22	Bone Screw Cortex, 2.7, 22 mm length
245-127-24	Bone Screw Cortex, 2.7, 24 mm length
245-127-26	Bone Screw Cortex, 2.7, 26 mm length
245-127-28	Bone Screw Cortex, 2.7, 28 mm length
245-127-30	Bone Screw Cortex, 2.7, 30 mm length
245-127-32	Bone Screw Cortex, 2.7, 32 mm length
245-127-34	Bone Screw Cortex, 2.7, 34 mm length
245-127-36	Bone Screw Cortex, 2.7, 36 mm length
245-127-38	Bone Screw Cortex, 2.7, 38 mm length
245-127-40	Bone Screw Cortex, 2.7, 40 mm length

Screw Rack 3.5 mm

with screws

150-0535-00



contains:

150-0535-00	Screw Rack for 3.5mm screws (empty)
245-135-08	Bone Screw Cortex, 3.5, 8 mm length
245-135-10	Bone Screw Cortex, 3.5, 10 mm length
245-135-12	Bone Screw Cortex, 3.5, 12 mm length
245-135-14	Bone Screw Cortex, 3.5, 14 mm length
245-135-16	Bone Screw Cortex, 3.5, 16 mm length
245-135-18	Bone Screw Cortex, 3.5, 18 mm length
245-135-20	Bone Screw Cortex, 3.5, 20 mm length
245-135-22	Bone Screw Cortex, 3.5, 22 mm length
245-135-24	Bone Screw Cortex, 3.5, 24 mm length
245-135-26	Bone Screw Cortex, 3.5, 26 mm length
245-135-28	Bone Screw Cortex, 3.5, 28 mm length
245-135-30	Bone Screw Cortex, 3.5, 30 mm length
245-135-32	Bone Screw Cortex, 3.5, 32 mm length
245-135-34	Bone Screw Cortex, 3.5, 34 mm length
245-135-36	Bone Screw Cortex, 3.5, 36 mm length
245-135-38	Bone Screw Cortex, 3.5, 38 mm length
245-135-40	Bone Screw Cortex, 3.5, 40 mm length
245-135-42	Bone Screw Cortex, 3.5, 42 mm length
245-135-44	Bone Screw Cortex, 3.5, 44 mm length
245-135-46	Bone Screw Cortex, 3.5, 46 mm length
245-135-48	Bone Screw Cortex, 3.5, 48 mm length
245-135-50	Bone Screw Cortex, 3.5, 50 mm length

Bending Iron

AO type, 2,7/3,5/4,5, 140mm

128-0880-27	right
128-0881-27	left



Plate Holding Forceps

17 cm, smooth handle, angled, strong model

164-0051-17



Drill

Product Code	Ø mm	length mm	Type
148-0081-20	2.0	100/75	AO
148-0081-25	2.5	110/85	AO
148-0080-20	2.0	100/75	round
148-0080-25	2.5	110/85	round



Depth Gauge

for 2.7 and 3.5 screws

164-2735-40



1.5 mm Cortex Screws

Self-Tapping



Hex Head

Specifications	
Dia. of thread	1.5 mm
Thread pitch	0.5 mm
Dia. of core	1.1 mm
Dia. of head	3.0 mm
Hex Recess Width	1.5 mm

Drill for:	
Threaded hole	1.1 mm
Gliding hole	1.5 mm

Stainless Steel	Titanium	Length
245-115-06	245-215-06	6 mm
245-115-07	245-215-07	7 mm
245-115-08	245-215-08	8 mm
245-115-09	245-215-09	9 mm
245-115-10	245-215-10	10 mm
245-115-11	245-215-11	11 mm
245-115-12	245-215-12	12 mm
245-115-14	245-215-14	14 mm
245-115-16	245-215-16	16 mm
245-115-18	245-215-18	18 mm
245-115-20	245-215-20	20 mm

2.0 mm Cortex Screws

Self-Tapping



Hex Head

Specifications	
Dia. of thread	2.0 mm
Thread pitch	0.6 mm
Dia. of core	1.4 mm
Dia. of head	4.0 mm
Hex Recess Width	1.5 mm

Drill for:	
Threaded hole	1.5 mm
Gliding hole	2.0 mm

Stainless Steel	Titanium	Length
245-120-06	245-220-06	6 mm
245-120-08	245-220-08	8 mm
245-120-10	245-220-10	10 mm
245-120-12	245-220-12	12 mm
245-120-14	245-220-14	14 mm
245-120-16	245-220-16	16 mm
245-120-18	245-220-18	18 mm
245-120-20	245-220-20	20 mm
245-120-22	245-220-22	22 mm
245-120-24	245-220-24	24 mm
245-120-26	245-220-26	26 mm
245-120-28	245-220-28	28 mm
245-120-30	245-220-30	30 mm

2.4 mm Cortex Screws

Self-Tapping



Hex Head

Specifications	
Dia. of thread	2.4 mm
Thread pitch	1.0 mm
Dia. of core	1.7 mm
Dia. of head	4.0 mm

Drill for:	
Threaded hole	1.8 mm
Gliding hole	2.4 mm

Stainless Steel	Titanium	Length
245-124-06	245-224-06	06 mm
245-124-08	245-224-08	08 mm
245-124-10	245-224-10	10 mm
245-124-12	245-224-12	12 mm
245-124-14	245-224-14	14 mm
245-124-16	245-224-16	16 mm
245-124-18	245-224-18	18 mm
245-124-20	245-224-20	20 mm
245-124-22	245-224-22	22 mm
245-124-24	245-224-24	24 mm
245-124-26	245-224-26	26 mm
245-124-28	245-224-28	28 mm
245-124-30	245-224-30	30 mm
245-124-32	245-224-32	32 mm
245-124-34	245-224-34	34 mm
245-124-36	245-224-36	36 mm
245-124-38	245-224-38	38 mm
245-124-40	245-224-40	40 mm

2.7 mm Cortex Screws

Standard or Self-Tapping



Hex Head

Specifications	
Dia. of thread	2.7 mm
Thread pitch	1.0 mm
Dia. of core	1.9 mm
Dia. of head	5.0 mm

Drill for:	
Threaded hole	2.0 mm
Gliding hole	2.7 mm

Stainless Steel	Stainless Steel	Titanium	Length
Standard	Self-Tapping	Self-Tapping	
245-027-06	245-127-06	245-227-06	06 mm
245-027-08	245-127-08	245-227-08	08 mm
245-027-10	245-127-10	245-227-10	10 mm
245-027-12	245-127-12	245-227-12	12 mm
245-027-14	245-127-14	245-227-14	14 mm
245-027-16	245-127-16	245-227-16	16 mm
245-027-18	245-127-18	245-227-18	18 mm
245-027-20	245-127-20	245-227-20	20 mm
245-027-22	245-127-22	245-227-22	22 mm
245-027-24	245-127-24	245-227-24	24 mm
245-027-26	245-127-26	245-227-26	26 mm
245-027-28	245-127-28	245-227-28	28 mm
245-027-30	245-127-30	245-227-30	30 mm
245-027-32	245-127-32	245-227-32	32 mm
245-027-34	245-127-34	245-227-34	34 mm
245-027-36	245-127-36	245-227-36	36 mm
245-027-38	245-127-38	245-227-38	38 mm
245-027-40	245-127-40	245-227-40	40 mm

3.5 mm Cortex Screws

Standard or Self-Tapping



Hex Head

Hex Head	
Dia. of thread	3.5 mm
Thread pitch	1.25 mm
Dia. of core	2.4 mm
Dia. of head	6.0 mm

Drill for:	
Threaded hole	2.5 mm
Gliding hole	3.5 mm

Stainless Steel	Stainless Steel	Titanium	Length
Standard	Self-Tapping	Self-Tapping	
245-035-08	245-135-08	245-235-08	08 mm
245-035-10	245-135-10	245-235-10	10 mm
245-035-12	245-135-12	245-235-12	12 mm
245-035-14	245-135-14	245-235-14	14 mm
245-035-16	245-135-16	245-235-16	16 mm
245-035-18	245-135-18	245-235-18	18 mm
245-035-20	245-135-20	245-235-20	20 mm
245-035-22	245-135-22	245-235-22	22 mm
245-035-24	245-135-24	245-235-24	24 mm
245-035-26	245-135-26	245-235-26	26 mm
245-035-28	245-135-28	245-235-28	28 mm
245-035-30	245-135-30	245-235-30	30 mm
245-035-32	245-135-32	245-235-32	32 mm
245-035-34	245-135-34	245-235-34	34 mm
245-035-36	245-135-36	245-235-36	36 mm
245-035-38	245-135-38	245-235-38	38 mm
245-035-40	245-135-40	245-235-40	40 mm
245-035-45	245-135-45	245-235-45	45 mm
245-035-50	245-135-50	245-235-50	50 mm
245-035-55	245-135-55	245-235-55	55 mm
245-035-60	245-135-60	245-235-60	60 mm

4.0 mm Cancellous Screws



Specifications	
Dia. of thread	4.0 mm
Thread pitch	1.75 mm
Dia. of core	1.9 mm
Dia. of head	6.0 mm

Drill for	
Threaded hole	2.5 mm

Stainless Steel	Stainless Steel	Length	Stainless Steel	Thread Length
Fully Threaded	Self-Tapping		Partially Threaded	
245-040-10	245-440-10	10 mm	245-140-10	10 mm
245-040-12	245-440-12	12 mm	245-140-12	12 mm
245-040-14	245-440-14	14 mm	245-140-14	14 mm
245-040-16	245-440-16	16 mm	245-140-16	16 mm
245-040-18	245-440-18	18 mm	245-140-18	18 mm
245-040-20	245-440-20	20 mm	245-140-20	20 mm
245-040-22	245-440-22	22 mm	245-140-22	22 mm
245-040-24	245-440-24	24 mm	245-140-24	24 mm
245-040-26	245-440-26	26 mm	245-140-26	26 mm
245-040-28	245-440-28	28 mm	245-140-28	28 mm
245-040-30	245-440-30	30 mm	245-140-30	30 mm
245-040-32	245-440-32	32 mm	245-140-32	32 mm
245-040-34	245-440-34	34 mm	245-140-34	34 mm
245-040-35	245-440-35	35 mm	245-140-35	35 mm
245-040-36	245-440-36	36 mm	245-140-36	36 mm
245-040-38	245-440-38	38 mm	245-140-38	38 mm
245-040-40	245-440-40	40 mm	245-140-40	40 mm
245-040-42	245-440-42	42 mm	245-140-42	42 mm
245-040-44	245-440-44	44 mm	245-140-44	44 mm
245-040-45	245-440-45	45 mm	245-140-45	45 mm
245-040-46	245-440-46	46 mm	245-140-46	46 mm
245-040-48	245-440-48	48 mm	245-140-48	48 mm
245-040-50	245-440-50	50 mm	245-140-50	50 mm
245-040-52	245-440-52	52 mm	245-140-52	52 mm
245-040-54	245-440-54	54 mm	245-140-54	54 mm
245-040-55	245-440-55	55 mm	245-140-55	55 mm
245-040-56	245-440-56	56 mm	245-140-56	56 mm
245-040-58	245-440-58	58 mm	245-140-58	58 mm
245-040-60	245-440-60	60 mm	245-140-60	60 mm
245-040-62	245-440-62	62 mm	245-140-62	62 mm
245-040-64	245-440-64	64 mm	245-140-64	64 mm
245-040-66	245-440-66	66 mm	245-140-66	66 mm
245-040-68	245-440-68	68 mm	245-140-68	68 mm
245-040-70	245-440-70	70 mm	245-140-70	70 mm

4.5 mm Cortex Screws

Standard or Self-Tapping



Hex Head	
Dia. of thread	3.5 mm
Thread pitch	1.75 mm
Dia. of core	3.0 mm
Dia. of head	8.0 mm

Drill for:	
Threaded hole	3.2 mm
Gliding hole	4.5 mm

Stainless Steel Standard	Stainless Steel Self-Tapping	Length
245-045-14	245-145-14	14 mm
245-045-16	245-145-16	16 mm
245-045-18	245-145-18	18 mm
245-045-20	245-145-20	20 mm
245-045-22	245-145-22	22 mm
245-045-24	245-145-24	24 mm
245-045-26	245-145-26	26 mm
245-045-28	245-145-28	28 mm
245-045-30	245-145-30	30 mm
245-045-32	245-145-32	32 mm
245-045-34	245-145-34	34 mm
245-045-36	245-145-36	36 mm
245-045-38	245-145-38	38 mm
245-045-40	245-145-40	40 mm
245-045-42	245-145-42	42 mm
245-045-44	245-145-44	44 mm
245-045-46	245-145-46	46 mm
245-045-48	245-145-48	48 mm
245-045-50	245-145-50	50 mm
245-045-52	245-145-52	52 mm
245-045-54	245-145-54	54 mm
245-045-56	245-145-56	56 mm
245-045-58	245-145-58	58 mm
245-045-60	245-145-60	60 mm
245-045-62	245-145-62	62 mm
245-045-64	245-145-64	64 mm
245-045-66	245-145-66	66 mm
245-045-68	245-145-68	68 mm
245-045-70	245-145-70	70 mm

Screw Racks

Screw Racks
(without screws)



Product Code	Description
150-0515-00	Screw Rack for 1,5 mm screws
150-0520-00	Screw Rack for 2,0 mm screws
150-0524-00	Screw Rack for 2,4 mm screws
150-0527-00	Screw Rack for 2,7 mm screws
150-0535-00	Screw Rack for 3,5 mm screws
150-0540-00	Screw Rack for 4,0 mm screws
150-0545-00	Screw Rack for 4,5 mm screws

1.5 mm Cuttable Plates

20 holes,
100 mm length, 1mm thick
for 1.5 mm screws

130-11-0015



2.0 mm Self Compression Plates



Product Code	Holes	Thickness
130-11-1014	4	1.5 mm
130-11-1015	5	1.5 mm
130-11-1016	6	1.5 mm
130-11-1017	7	1.5 mm
130-11-1018	8	1.5 mm
130-11-1019	9	1.5 mm
130-11-1020	10	1.5 mm
130-11-1021	11	1.5 mm
130-11-1022	12	1.5 mm
130-11-1030	20	1.5 mm

2.0 mm L-Plates

1 mm thick

130-11-0402	left
130-11-0502	right



2.0 mm Limited Contact Self Compression Plates

Stainless Steel



Product Code	Holes	Thickness
130-11-2004	4	1.5 mm
130-11-2005	5	1.5 mm
130-11-2006	6	1.5 mm
130-11-2007	7	1.5 mm
130-11-2008	8	1.5 mm
130-11-2020	20	1.5 mm

2.4 mm Self Compression Plates



Product Code	Holes	Thickness
130-11-6004	4	2.3 mm
130-11-6005	5	2.3 mm
130-11-6006	6	2.3 mm
130-11-6007	7	2.3 mm
130-11-6008	8	2.3 mm
130-11-6009	9	2.3 mm
130-11-6010	10	2.3 mm
130-11-6011	11	2.3 mm
130-11-6012	12	2.3 mm

Plates { 2.7 mm }

2.7 mm Decompression Plates narrow



Product Code	Holes	Thickness
140-12-0004	4	2.0 mm
140-12-0005	5	2.0 mm
140-12-0006	6	2.0 mm
140-12-0007	7	2.5 mm
140-12-0008	8	2.5 mm
140-12-0009	9	2.5 mm
140-12-0010	10	2.5 mm
140-12-0011	11	2.5 mm
140-12-0012	12	2.5 mm
140-12-0013	13	2.5 mm
140-12-0014	14	2.5 mm

2.7 mm Limited Contact Decompression Plates

Frontside



Backside (Limited Contact)



Product Code	Holes	Thickness
140-13-2004	4	2.0 mm
140-13-2005	5	2.0 mm
140-13-2006	6	2.0 mm
140-13-2007	7	2.5 mm
140-13-2008	8	2.5 mm
140-13-2009	9	2.5 mm
140-13-2010	10	2.5 mm
140-13-2011	11	2.5 mm
140-13-2012	12	2.5 mm
140-13-2013	13	2.5 mm
140-13-2014	14	2.5 mm

Plates { 3.7 mm }

3.5 mm Decompression Plates narrow



Product Code	Holes	Thickness
140-20-0002	2	3.2 mm
140-20-0004	4	3.2 mm
140-20-0005	5	3.2 mm
140-20-0006	6	3.2 mm
140-20-0007	7	3.2 mm
140-20-0008	8	3.2 mm
140-20-0009	9	3.2 mm
140-20-0010	10	3.2 mm
140-20-0011	11	3.2 mm
140-20-0012	12	3.2 mm
140-20-0013	13	3.2 mm
140-20-0014	14	3.2 mm
140-20-0015	15	3.2 mm
140-20-0016	16	3.2 mm
140-20-0018	18	3.2 mm

3.5 mm Limited Contact Decompression Plates

Frontside



Backside (Limited Contact)



Product Code	Holes	Thickness
140-20-2004	4	3.2 mm
140-20-2005	5	3.2 mm
140-20-2006	6	3.2 mm
140-20-2007	7	3.2 mm
140-20-2008	8	3.2 mm
140-20-2009	9	3.2 mm
140-20-2010	10	3.2 mm
140-20-2011	11	3.2 mm
140-20-2012	12	3.2 mm
140-20-2014	14	3.2 mm

Plates { Reconstruction, Straight/Curved }

Reconstruction Plates

3.5 mm, straight



Product Code	Holes	Thickness
140-50-0004	4	3.0 mm
140-50-0005	5	3.0 mm
140-50-0006	6	3.0 mm
140-50-0007	7	3.0 mm
140-50-0008	8	3.0 mm
140-50-0009	9	3.0 mm
140-50-0010	10	3.0 mm
140-50-0011	11	3.0 mm
140-50-0012	12	3.0 mm
140-50-0014	14	3.0 mm
140-50-0016	16	3.0 mm
140-50-0018	18	3.0 mm
140-50-0020	20	3.0 mm
140-50-0022	22	3.0 mm

Reconstruction Plates

3.5 mm, curved



Product Code	Holes	Thickness
130-50-0106	6	3.0 mm
130-50-0108	8	3.0 mm
130-50-0110	10	3.0 mm
130-50-0112	12	3.0 mm
130-50-0114	14	3.0 mm
130-50-0116	16	3.0 mm

3.5 mm Decompression Plates broad



Product Code	Holes	Thickness
140-24-0004	4	3.6 mm
140-24-0005	5	3.6 mm
140-24-0006	6	3.6 mm
140-24-0007	7	3.6 mm
140-24-0008	8	3.6 mm
140-24-0009	9	3.6 mm
140-24-0010	10	3.6 mm
140-24-0011	11	3.6 mm
140-24-0012	12	3.6 mm
140-24-0013	13	3.6 mm
140-24-0014	14	3.6 mm
140-24-0015	15	3.6 mm
140-24-0016	16	3.6 mm
140-24-0018	18	3.6 mm

4.5 mm Decompression Plates narrow



Product Code	Holes	Thickness
130-30-0004	4	4.0 mm
130-30-0005	5	4.0 mm
130-30-0006	6	4.0 mm
130-30-0007	7	4.0 mm
130-30-0008	8	4.0 mm
130-30-0009	9	4.0 mm
130-30-0010	10	4.0 mm
130-30-0011	11	4.0 mm
130-30-0012	12	4.0 mm
130-30-0013	13	4.0 mm
130-30-0014	14	4.0 mm
130-30-0015	15	4.0 mm
130-30-0016	16	4.0 mm
130-30-0018	18	4.0 mm
130-30-0020	20	4.0 mm
130-30-0022	22	4.0 mm
130-30-0024	24	4.0 mm

Plates(4.5mm, Decompression, Broad) Plates (4.5mm, T-Shape)

4.5 mm Decompression Plates broad



Product Code	Holes	Thickness
130-31-0005	5	5.0 mm
130-31-0006	6	5.0 mm
130-31-0007	7	5.0 mm
130-31-0008	8	5.0 mm
130-31-0009	9	5.0 mm
130-31-0010	10	5.0 mm
130-31-0011	11	5.0 mm
130-31-0012	12	5.0 mm
130-31-0013	13	5.0 mm
130-31-0014	14	5.0 mm
130-31-0015	15	5.0 mm
130-31-0016	16	5.0 mm
130-31-0018	18	5.0 mm
130-31-0020	20	5.0 mm
130-31-0022	22	5.0 mm
130-31-0024	24	5.0 mm

4.5 mm T-Plates



Product Code	Holes	Thickness
130-34-0303	3	2.0 mm
130-34-0304	4	2.0 mm
130-34-0305	5	2.0 mm
130-34-0306	6	2.0 mm
130-34-0307	7	2.0 mm
130-34-0308	8	2.0 mm
130-34-0309	9	2.0 mm
130-34-0310	10	2.0 mm

Plates (2.0 mm, Adaption) Plates (2.0 mm, T-Shape)

2.0 mm T-Plate
2 holes, 1.0 mm thick
130-11-0302



2.0 mm T-Plates



Product Code	Holes	Thickness
130-1863-09	3x9	1.1 mm
130-1864-09	4x9	1.1 mm

2.0 mm T-Plates



Product Code	Holes	Thickness
130-11-0338	3x8	1.2 mm
130-11-0339	3x9	1.2 mm
130-11-0349	4x9	1.2 mm

2.0 mm T-Plates














Code	Holes	Thickness
140-0620-24	2x4	1.5 mm
140-0620-25	2x5	1.5 mm
140-0620-26	2x6	1.5 mm
140-0620-27	2x7	1.5 mm
140-0620-28	2x8	1.5 mm

2.0 mm Adaption Plate
20 holes, 1.2 mm thick, cuttable
130-11-1420



Plates Arthrodesis

Arthrodesis Plates

140-05-1168	9 holes oval 1.5/2.0/54 mm	
140-05-1169	9 holes oval 2.0/2.0/58 mm	
140-05-1170	9 holes round 2.0/2.7/76 mm	
140-05-1171	9 holes oval 2.0/2.7/76 mm	
140-05-1172	9 holes round 2.7/3.5/120 mm	
140-05-1173	9 holes oval 2.7/3.5/120 mm	
140-05-1174	9 holes round 2.7/3.5/104 mm	
140-05-1175	9 holes oval 2.7/3.5/104 mm	
140-06-1176	11 holes oval 3.5/3.5/152 mm	
140-05-1177	10 holes round 3.5/3.5/140 mm	
140-06-1178	10 holes oval 3.5/3.5/140 mm	

TPLO Plates



Product Code	Length (mm)		Holes	
	Head	Shaft	Head	Shaft
131-27-0110	16	39	3	3
131-35-0112	22	55	3	3
131-35-0114	22	77	3	4

TPLO Delta Plates

2.7mm, left, broad, 45mm
130-40-2703



2.7mm, right, broad, 45mm
130-40-2704

Acetabulum Plates



2,0mm, 6 Hole, 31mm

130-11-0606



2,7mm, 4 Hole, 39mm

130-12-0604



2,7mm, 5 Hole, 47mm

130-12-0605



2,7mm, 6 Hole, 53mm

130-12-0606

Plates {Philips, T-Shape} Plates {3.5mm T-Shape}

Phillips T-Plates



Product Code	Holes	Measures
131-20-0304	4	2,0/2,7 mm, 36 mm
131-20-0305	5	2,0/2,7 mm, 44 mm
131-20-0306	6	2,0/2,7 mm, 52 mm

3.5 mm T-Plates

Code	Holes	Measures
131-35-0505	5	3,5/65 mm
131-35-0506	6	3,5/75 mm



3.5 mm T-Plates with curved head



Product Code	Holes	Measures
131-35-0404	3/4	3.5 mm, 60 mm
131-35-0406	3/6	3.5 mm, 80 mm
131-35-0508	3/8	3.5 mm, 105 mm

Screw Removal Set S.O.S

S.O.S. - Screw Removal Set
247-0000-00



Set contains:

Product Code	Description
150-0863-00	Wire Box for 24 Inserts, with lid
150-0864-00	Wire Box for handles
247-0101-00	Silicone T-Handle, AO
247-0102-00	Screwdriver Handle Silicone, straight, AO
128-0300-15	Bone Pick, 15 cm
247-0110-00	Screwdriver Shaft Torx AO, T4, 1,28
247-0111-00	Screwdriver Shaft Torx AO, T6, 1,7 mm
247-0112-00	Screwdriver Shaft Torx AO, T7, 1,99 mm
247-0113-00	Screwdriver Shaft Torx AO, T8, 2,31 mm
247-0114-00	Screwdriver Shaft Torx AO, T9, 2,5 mm
247-0115-00	Screwdriver Shaft Torx AO, T10, 2,74 mm
247-0116-00	Screwdriver Shaft Torx AO, T15, 3,27 mm
247-0117-00	Screwdriver Shaft Torx AO, T25, 4,43 mm
247-0120-00	Screwdriver Shaft Cross Drive AO, CD1.0/1.2
247-0121-00	Screwdriver Shaft Cross Drive AO, CD 1.5/1.7
247-0122-00	Screwdriver Shaft Cross Drive AO, CD 2.0/2.3
247-0130-00	Screwdriver Shaft Hexagonal AO, 1.5mm
247-0131-00	Screwdriver Shaft Hexagonal AO, 2.5mm
247-0132-00	Screwdriver Shaft Hexagonal AO, 3.5mm
247-0140-00	Extraction Bolt, AO for Screws 1.5 mm
247-0141-00	Extraction Bolt, AO for Screws 2.0 mm
247-0142-00	Extraction Bolt, AO for Screws 2.7 mm
247-0143-00	Extraction Bolt, AO for Screws 3.5/4.0 mm
247-0150-00	Conical Extractor, AO 1.5 / 2.0 mm
247-0151-00	Conical Extractor, AO 2.7 / 3.5 / 4.0 mm
247-0152-00	Conical Extractor, AO 4.5 / 5.0 / 6.5 / 7.0mm
247-0160-00	Hollow Reamer 1.5 / 2.0 mm
247-0161-00	Hollow Reamer 2.7 / 3.5 / 4.0 mm